



Free-Standing 19" Rack Cabinet SWW series - indoor

Free-standing 19-inch rack cabinet is an ideal solution for small and medium telecommunication and computer networks, telecom and power engineering, industrial CCTV and can also be widely used in sound systems and automation systems.



visualization of the closed free-standing 19" rack cabinet
SWW series



visualization of the open free-standing 19" rack cabinet
SWW series

features:

- rack cabinet is designed for wall mounting in offices, network server rooms and CCTV control rooms,
- rack solution allows the installation of devices adapted to the 19-inch standard,
- cabinets are available in various sizes and configurations, which allows for optimal cable management and safe storage of network equipment,
- design of the cabinet ensures proper heat dissipation which protects the devices from overheating,
- rack cabinet equipped with doors locked with a key, key code depending on preferences can be repeatable or different,
- maximum opening angle of the front door up to 120°,
- the brush grommet enables the insertion of cabling through a 60 x 180 mm hole,
- cable entries located at the top and bottom of the housing,
- Magnelis® sheet is the only metallic coating certified for use in a C5 environment, which provides durability and protection against corrosion.

equipment ordered separately:

- 19" 3U voltage distribution panel,
- 19" rack shelf,
- 2x brush grommet,
- ventilation kit with thermostat.

standards and certificates:

- flammability class V0 acc. UL 94,
- PN-EN 60529 - ingress protection degree IP 20,
- PN-EN 62262 - impact protection degree IK 10,
- REACH Regulation No 1907/2006/EC,
- RoHS 2011/65/UE.

*The manufacturer reserves the right to make modifications and improvements to the product.
Therefore, the products shown in the illustrations and photographs may differ slightly from the actual state.*



Free-Standing 19" Rack Cabinet

SWW series - indoor


technical specifications:

SWW-19"	12U	15U	18U	24U
dimensions [width x height x depth][mm]	600 x 620 x 530	600 x 750 x 530	600 x 890 x 530	600 x 1160 x 530
rack standard	19"			
rack unit height [U]	12	15	18	24
rack mounting depth [mm]	490			
number of rack rails	2x front / 2x back			
type of cable entry	breakable cable slot / hole cap			
diameter of cable entry [mm]	60 x 180 (2x top / 2x bottom)			
type of door	single door			
front / back door construction	glass / solid			
removable side panels	YES			
thermostat	YES (equipment ordered separately)			
active ventilation	space for a 4 Ø 125mm fan with mounting holes on the top panel			
passive ventilation	2 ventilation holes on the sides, no rear cover			
grounding details	door			
mounting type	indoor, free-standing			
temperature resistance [°C]	from -40 to +70			
ingress protection degree IP	IP 20			
impact protection degree IK	IK 10			
flammability class	V0 acc. UL 94			
weight [kg]	~13	~19	~24	~30
material	powder painted Magnelis® sheet			
available colors	RAL7035, RAL9005			



Free-Standing 19" Rack Cabinet SWW series - indoor

technical drawings:



order information:

CODE	DESCRIPTION
SWW-600/620/530-S-19"-12U-S-R7035	Free-standing 19" rack cabinet, SWW-600/620/530-S-19"-12U, indoor, door with plexi, 600x620x530mm (WxHxD), Magnelis®, structured, RAL7035
SWW-600/750/530-S-19"-15U-S-R7035	Free-standing 19" rack cabinet, SWW-600/750/530-S-19"-15U, indoor, door with plexi, 600x750x530mm (WxHxD), Magnelis®, structured, RAL7035
SWW-600/890/530-S-19"-18U-S-R7035	Free-standing 19" rack cabinet, SWW-600/890/530-S-19"-18U, indoor, door with plexi, 600x890x530mm (WxHxD), Magnelis®, structured, RAL7035
SWW-600/1160/530-S-19"-24U-S-R7035	Free-standing 19" rack cabinet, SWW-600/1160/530-S-19"-24U, indoor, door with plexi, 600x1160x530mm (WxHxD), Magnelis®, structured, RAL7035
SWW-600/620/530-S-19"-12U-S-R9005	Free-standing 19" rack cabinet, SWW-600/620/530-S-19"-12U, indoor, door with plexi, 600x620x530mm (WxHxD), Magnelis®, structured, RAL9005
SWW-600/750/530-S-19"-15U-S-R9005	Free-standing 19" rack cabinet, SWW-600/750/530-S-19"-15U, indoor, door with plexi, 600x750x530mm (WxHxD), Magnelis®, structured, RAL9005
SWW-600/890/530-S-19"-18U-S-R9005	Free-standing 19" rack cabinet, SWW-600/890/530-S-19"-18U, indoor, door with plexi, 600x890x530mm (WxHxD), Magnelis®, structured, RAL9005
SWW-600/1160/530-S-19"-24U-S-R9005	Free-standing 19" rack cabinet, SWW-600/1160/530-S-19"-24U, indoor, door with plexi, 600x1160x530mm (WxHxD), Magnelis®, structured, RAL9005